AMENDMENTS TO THE DRAWINGS

Replace the second sheet of the drawings containing FIGS. 2 and 3. The only change being the addition of element numeral 29 and its lead line in FIG. 2.

REMARKS

The applicants would like to thank Examiner Patel for the analysis set forth in the Office

Action, and for his continued examination of the present application.

Amendment to Specification

Please amend the paragraph beginning on page 4 of the specification, at line 11, as indicated

above.

The referenced paragraph has been amended simply to identify the planar surface shown in

FIG. 2, and now identified as element 29, by amending the third paragraph of the sentence to read as

follows: "Closure 16 has an attachment portion 28 which is larger than the opening and has a

planar surface 29 from which extends an axially projecting stopper portion 30 that is adapted to

fit closely within opening 14." No new matter is introduced by this change as it merely describes

what is clearly and unambiguously indicated in FIG. 2 and other figures in the application.

The reference paragraph has also been amended to describe the depicted spatial

relationship between the backing ring and the projecting stopper portion, by amending the sixth

sentence to read as follows: "Referring to FIG. 2, a backing ring 36 of pliable memory retaining

material (while being sufficiently stiff as to resist extrusion flow under pressure), is positioned

between peripheral seal groove 32 and attachment portion 28 of closure 16 in close fitting

relation around the projecting stopper portion 30." No new matter is introduced by this change

as it merely describes what is clearly and unambiguously indicated in FIG. 2 and other figures in

the application.

Amendment to FIG. 2

FIG. 2 is amended to add reference numeral 29.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESSPILE
1420 Fifth Avenue
Suite 2800

Suite 2800 Seattle, Washington 98101 206.682.8100

-5-

Claim Rejections – 35 USC § 112

The applicants note that Examiner's objection and the limitations "the planar containment

surface" and "by pressure applying a force solely in an axial direction normal to the planar

containment surface" have been deleted.

The applicants are not pursuing the limitations relating to the direction of the force, as they

do not appear to be advancing the matter due to a difference in interpretation with the Examiner.

As will hereafter be further described, the applicants remain of the view that there are

fundamental differences between the present invention and the Walker reference and will endeavour

to address those differences with claim amendments based upon the content of the figures of the

present application.

Claim Rejections - 35 USC § 102

Claim 1 presently stands rejected as being anticipated by Walker.

The applicants respectfully request that the Examiner compare FIG. 2 of the Walker

reference with FIG. 2 of the present application.

Positioning of Backing Ring:

Referring to FIG. 2, the backing ring 42 of Walker is positioned in a cutout pocket 28.

Backing ring 42 is described as being a "truncated triangle" (Col. 3, line 17). Referring to FIG. 4.

O-ring 24 extrudes into portion 58 of backing ring 42 when subjected to pressure, with cutout

pocket 28 confining movement of backing ring 42.

Referring to FIG. 2, the backing ring 36 of the present invention encircles stopper portion 30

between a planar surface 29 provided by attachment portion 28 and seal groove 32. This

positioning creates a different relationship between O-ring 34 and backing ring 36 and is contrary to

the teachings of Walker. As backing ring 36 encircles stopper portion 30 in close fitting relation.

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC 1420 Fifth Avenue Suite 2800

Suite 2800 Seattle, Washington 98101 206.682.8100

-6-

O-ring 34 does not get under it, as is taught by Walker and there is no pocket to confine backing

ring 36 as taught by Walker.

These important differences have been incorporated as limitations in Claim 1, which now

provides:

that the attachment portion has a planar surface from which projects a stopper portion.

that the backing ring is positioned in close fitting relation around the projecting stopper

portion between the peripheral seal groove and the planar surface of the attachment portion.

It is respectfully submitted that the claim amendments do not introduce new subject matter

into the Application as they merely serve to place in words subject matter which has always been

present in the drawings.

Entry of the amendments, and a favourable disposition of the application is respectfully

requested. In view of the foregoing amendments and arguments, it is respectfully submitted that the

present application is now in a condition for allowance.

Respectfully submitted,

CHRISTENSEN O'CONNOR JOHNSON KINDNESSPLLC

JOHNSON KHYDIYESS

Kevan L. Morgan

Registration No. 42,015

Direct Dial No. 206.695.1712

KLM:jlb

LAW OFFICES OF CHRISTENSEN O'CONNOR JOHNSON KINDNESS**LLC 1420 Fifth Avenue Suite 2800 Seattle, Washington 98101 206.682.8100

-7-